

TWAP-1154ADP User Manual

Released Date:

November 16, 2022 version 2

Safety Precautions & Important Notices

Follow the messages below to avoid your systems from damage:

- Avoid static electricity from your system on all occasions.
- To prevent electric shock. Don't touch any components of this industrial PC when it is powered-on. Always disconnect power when the system is not in use.
- Disconnect power when you change any hardware devices. For instance, when you connect a jumper or install any memory, a surge of power may damage the electronic components or the whole system.
- Do not place the Industrial PC on an unstable surface.
- Unplug the power cable when thunderstorm weather with lightning occurs.
- Do not contact with or be exposed to inappropriate temperature, solvents, acid, water or moisture.
- Do not repair this product with an unauthorized agency or person.

After Sale Warranty Regulations

When handling a malfunctional product users should follow the principle of solving the problems. If possible, we may try to solve the problems via e-mail or telephone. If some problems can be solved via installing the specified update software or replacing the hardware by yourself, we will guide you how to obtain, install or replace it.

Within the warranty period, we will repair it under normal use. The manufacturer warranty is void under the following conditions:

1. Any fault or damage cause by abnormal use, accidents, refitting, improper physical or operating environment, nature disaster, surging and improper maintenance or storage.
2. Contact or exposed to unsuitable temperature, solvent, acid-base, water or moist environment.
3. Malfunction or damage after using the product, service or actions from the third party.
4. Malfunction or damage caused by using the illegal unauthorized, nonstandard or nonpublic issuing software.
5. Malfunction or damage caused by the force or accident drop to the floor or table.

Overview of Industrial Monitor

Industrial Monitor is designed for industrial application. It can be wall-mounted and panel-mounted. It can be widely used in many industrial fields, such as military, telecom, power traffic, railway, communication, finance, internet, medical treatment, security systems, industrial auto equipment etc.


Product Specifications:		
Display	Model Name	TWAP-1154ADP
	Size/Type	15" TFT LCD
	Resolution (pixels)	1024x768
	Number of Colors	16.7M
	Brightness (cd/m ²)	400 nits Standard; 1000nits (opt.)
	Backlight lifetime	50,000hrs
	Viewing Angle	178°H / 178°V
System	CPU	N/A
	Chipset	N/A
	Memory	N/A
	COM	Option
	Audio	N/A
	USB	Option
	VGA	1
	DVI	1
Power	HDMI	1
	Power Input	DC12V Standard, DC12~30V (optional)
	Power	AC 100~240V
Mechanical	Power Consumption	20W
	Construction	Steel Enclosure
	IP rating	Front panel IP65
	Mounting	Panel-mount & VESA mounting
	Dimension (mm)	TBD
	Net weight	TBD
	Operating Temp.	-10°~ 60°C
	Storage Temp.	-20° ~ 70°C

Environment	Storage humidity	10 to 90% @40°C, Non-condensing
	Certification	CE/FCC Class A
	OS Support	Windows 10, Linux, Android, Raspberry Pi
Optional	Web camera	N/A
	Speakers	Options
	RFID	N/A
	NFC	N/A
	Fingerprint	N/A
	QR reader	N/A
	GPS	N/A
	WIFI	N/A

Note: All Specifications are subject to change without prior notice!

Installation of Industrial Monitor

VESA-mount:



Panel-mount:

