





Seiko Instruments super small and affordable 2" mobile printer meets the trend towards greater mobility. The MP-B20 Series Mobile Printers support Bluetooth[®] connectivity and are compatible with the latest operating systems including Windows[®], AndroidTM and iOS[®].

MP-B20 SERIES

Mobile Printer

- Very small and lightweight
- Withstand drops from up to 1,5 meters
- USB style battery charger
- 80mm/s printing speed
- Color option: Black, White
- optional cradle





| Model | | МР-В20 |
|----------------------------|---|--|
| | Method | Thermal line dot printing |
| | Number of dots/line | 384 |
| | Resolution (dots/mm) | 8 |
| | Paper width (mm) | 58 ⁺⁰ |
| Printing | Printing width (mm) | 48 |
| | Speed (mm/sec) max | 80 |
| | Outside diameter of paper roll (mm) max | Ø 40 |
| | Character matrix (H×W mm) | 24 × 12, 24 × 24, 16 × 8, 16 × 16 |
| | Character dimensions (H×W mm) | 3.0 × 1.5, 3.0 × 3.0, 2.0 × 1.0, 2.0 × 2.0 |
| Type of Paper | | Roll paper |
| Character type | | Code page(17 pages), Optional font, Downloaded character, User-defined character, JIS 1&2 Level Kanji, Special character |
| Bar code | | UPC-A/E, JAN(EAN)8/13, ITF, CODE39, CODABAR, CODE93, CODE128 PDF417, QR Code, MaxiCode, Data Matrix, GS1 Databar |
| Power supply (V) | | Li-lon Battery |
| Communication interface | | USB, Bluetooth® |
| Input buffer | | 4K bytes |
| Command | | ESC/POS™ conformity |
| Cutting | | Tear bar |
| Falling resistance | | 1.5m* ¹ |
| Operating temperature (°C) | | -10 to 50 |
| Service life (km) | | 50* ² |
| Dimensions (W×D×H mm) | | 79.0 × 110.0 × 44.0* ³ |
| Mass (g) | | Арргох. 180*4 |
| Standard | | FCC, CE, VCCI |
| Bundled item | | USB cable, Battery, Belt clip |
| Option | | Cradle for charging |
| Software | | Printer driver, Windows [®] , Android™(SDK), iOS(SDK) |

ESC/POSTM: Registered trademark of SEIKO EPSON CORP. Windows[®] is the registered trademark of Microsoft Corporation(IUSA). Android[™] is a trademark of Google Inc. IOS is a trademark or registered trademark of Cisco in the U.S. and other countries and is used under license.

Specifications are subject to change without notice.



Seiko Instruments GmbH phone: +49-6102-297-100 info@Seiko-Instruments.de www.seiko-instruments.de

